

CRICUT EASYPRESS INSTÄLLNINGAR

Glöm inte bort att spegla ditt projekt och att förpressa din blank i 5 sekunder.

	Everyday Iron-On Lite/Met	Foil Iron-On	Glitter	Holographic	Mosaic
100% Bomull	155°C/30s/Kall	145°C/30s/Kall	165°C/30s/Kall	165°C/30s/Kall	155°C/30s/Varm
Bomull/Poly	155°C/30s/Kall	145°C/30s/Kall	165°C/30s/Kall	165°C/30s/Kall	165°C/30s/Varm
Bomullscanvas	170°C/30s/Kall	145°C/30s/Kall	130°C/30s/Kall	140°C/30s/Kall	140°C/30s/Varm
Cardstock	140°C/30s/Kall	130°C/30s/Kall	145°C/30s/Kall	145°C/30s/Kall	145°C/30s/Varm
Chipboard	155°C/30s/Kall	X	155°C/30s/Kall	155°C/30s/Kall	155°C/30s/Varm
Corkboard	155°C/15s/Kall	X	155°C/30s/Kall	155°C/15s/Kall	X
Filt	140°C/30s/Kall	140°C/30s/Kall	130°C/30s/Kall	140°C/30s/Kall	140°C/30s/Varm
Konstläder	140°C/30s/Kall	125°C/30s/Kall	130°C/20s/Kall	140°C/30s/Kall	140°C/30s/Varm
Mesh	140°C/30s/Kall	140°C/30s/Kall	X	X	X
Muslin	170°C/30s/Kall	145°C/30s/Kall	130°C/30s/Kall	140°C/30s/Kall	140°C/30s/Varm
Neopren	140°C/20s/Kall	140°C/20s/Kall	140°C/20s/Kall	140°C/20s/Kall	140°C/20s/Varm
Nylon	140°C/30s/Kall	125°C/30s/Kall	X	X	X
Polyester	155°C/30s/Kall	145°C/30s/Kall	165°C/30s/Kall	165°C/30s/Kall	165°C/30s/Varm
Silke	140°C/30s/Kall	125°C/30s/Kall	X	X	140°C/30s/Varm
Säckväv	150°C/30s/Kall	X	150°C/30s/Kall	150°C/30s/Kall	X
Trä	150°C/40s/Kall	X	150°C/40s/Kall	150°C/40s/Kall	X
Ull	140°C/30s/Kall	140°C/30s/Kall	130°C/30s/Kall	140°C/30s/Kall	140°C/30s/Varm

CRICUT EASYPRESS INSTÄLLNINGAR

Glöm inte bort att spegla ditt projekt och att förpressa din blank i 5 sekunder.

	SportFlex	Glow in the Dark	Reflective	UV Color Changing	Smart Iron-On
100% Bomull	X	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall
Bomull/Poly	X	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall
Bomullscanvas	X	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	170°C/30s/Kall
Cardstock	X	150°C/10s/Kall	155°C/10s/Kall	155°C/10s/Kall	140°C/30s/Kall
Chipboard	X	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall
Corkboard	155°C/15s/Kall	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	155°C/15s/Kall
Filt	X	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	140°C/30s/Kall
Konstläder	X	150°C/30s/Kall	155°C/20s/Kall	155°C/20s/Kall	140°C/30s/Kall
Mesh	X	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	140°C/30s/Kall
Muslin	X	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	170°C/30s/Kall
Neopren	140°C/20s/Kall	155°C/40s/Kall	155°C/30s/Kall	155°C/30s/Kall	140°C/20s/Kall
Nylon	150°C/30s/Kall	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	140°C/30s/Kall
Polyester	150°C/30s/Kall	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall
Silke	X	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	140°C/30s/Kall
Säckväv	X	150°C/40s/Kall	155°C/45s/Kall	155°C/45s/Kall	155°C/30s/Kall
Trä	X	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	150°C/45s/Kall
Ull	X	150°C/30s/Kall	155°C/30s/Kall	155°C/30s/Kall	140°C/30s/Kall

CRICUT EASYPRESS INSTÄLLNINGAR

Glöm inte bort att spegla ditt projekt och att förpressa din blank i 5 sekunder.

	Smart Iron-On Glitter	Smart Iron-On Holographic		Infusible Ink Pen	Infusible Ink Transfer Sheet
100% Bomull	165°C/30s/Kall	165°C/30s/Kall	Aluminium Sheets	195°C/40s/Kall	195°C/40s/Kall
Bomull/Poly	165°C/30s/Kall	165°C/30s/Kall	Baby Body	195°C/40s/Kall	195°C/40s/Kall
Bomullscanvas	130°C/30s/Kall	145°C/30s/Kall	Ceramic Coasters	205°C/240s/Kall	205°C/240s/Kall
Cardstock	145°C/30s/Kall	145°C/30s/Kall	Cosmetic Bag	195°C/60s/Kall	195°C/60s/Kall
Chipboard	155°C/30s/Kall	155°C/30s/Kall	Pillow Cover	195°C/60s/Kall	195°C/60s/Kall
Corkboard	155°C/15s/Kall	155°C/15s/Kall	Square Coaster	205°C/60s/Kall	205°C/60s/Kall
Filt	130°C/30s/Kall	140°C/30s/Kall	Tote Bag	195°C/40s/Kall	195°C/40s/Kall
Konstläder	130°C/20s/Kall	140°C/30s/Kall	T-shirt	195°C/40s/Kall	195°C/40s/Kall
Mesh	X	140°C/30s/Kall	Wine Bag	195°C/60s/Kall	195°C/60s/Kall
Muslin	130°C/35s/Kall	145°C/30s/Kall			
Neopren	140°C/20s/Kall	140°C/20s/Kall			
Nylon	X	X			
Polyester	165°C/30s/Kall	165°C/30s/Kall			
Silke	X	X			
Säckväv	150°C/20s/Kall	150°C/30s/Kall			
Trä	150°C/40s/Kall	165°C/40s/Kall			
Ull	130°C/30s/Kall	140°C/30s/Kall			

CRICUT EASYPRESS INSTÄLLNINGAR

Glöm inte bort att spegla ditt projekt och att förpressa din blank i
5 sekunder.

