THE INSULIN CODE

The 14-Day Reset to Fix Insulin & Burn Fat Forever

SCIENCE BASED



It’s Not Calories. It’s Hormones.
Fix Them Here.

© 2026 Miavela Wellness. All rights reserved. Personal use only. Redistribution prohibited

A Note From the Research Team

It’s not your fault. You have been told to “eat less and move more,’ but the scale won’t budge. That is because your “Check Engine” light is on.

This isn’t about willpower. It is about Chemistry. When your hormones are blocked, no amount of starving yourself will work.

Over the next 14 days, we are going to fix the sensors, clear the traffic jams, and turn your body back into a fat-burning machine.


Our dream is to walk beside you on your health journey — guiding with care, growing with love, every step of the way, together.

Your Body Is Blocking Fat Burning

Meet Your Body's Traffic Cop: Insulin

(blocks fat burning for 4–6 hours after eating)

WHEN YOU EAT



WHAT'S ACTUALLY HAPPENING

You eat → insulin rises (pancreas response)
Fat cells are locked (no fat burning)
Energy drops → hunger returns

This signal can stay active for 4–6 hours after eating.

This is why it feels like:

- you just ate... but your energy drops
- your body asks for food again too soon
- eating less makes things worse, not better


THE GOAL

Reduce how often insulin blocks your fuel — so your body can access stored energy again.

This is how fat burning becomes possible again.

The 4-Day Hurdle: Why You Will Want to Quit

It's not hunger. It's an "Extinction Burst."



- On Day 3–4, your brain expects sugar — but doesn't get it.
  This triggers a temporary surge in cravings driven by dopamine shifts, hunger hormones, and falling sugar levels — which is why this moment feels unusually intense and hard to ignore.
- It signals your body is transitioning away from sugar dependence and beginning to switch fuel systems.
- If you push through this window, the urge begins to loosen its grip — often within the next 24–36 hours — as your body begins shifting away from constant sugar reliance.
- Behind the scenes, your liver is using up its stored sugar reserves — your body then begins unlocking a more stable fuel source, where energy stays steady and hunger stops driving every decision — typically within 36–72 hours.

If headaches show up during this phase, a simple electrolyte protocol is explained on Page 21.

The 3 Invisible Blockers

Signals that keep your body storing fat



The Inflammation Trap (Seed Oils)

Sunflower, corn, and canola oils trigger inflammation → this can block fat use for up to 48 hours.



The Belly Fat Signal (Cortisol)

Stress raises cortisol → this signals your body to store fat instead of using it.



The Hormonal Jam (Estrogenics)

Plastics and soy disrupt hormone signals → pushing your body toward storage mode.

When these signals stay active → your body stores energy instead of using it.
Fat cannot be used until these are reduced.

The ‘Check Engine’ Diagnostic

When your metabolism is no longer blocked, your body returns to using fat

START HERE →
The Traffic Cop
(Insulin)



The Gas Pedal
(Thyroid)

The Oil Filter
(Liver)

The Emergency Brake
(Adrenals)

The Fuel Injector
(Gut)

You don’t fix this by forcing it.
You fix what’s blocking it.

Step 1: Fixing the Traffic Cop (Next Page).

Step 1: The Traffic Cop (Pancreas)

Your pancreas is a metabolism organ — It helps control your blood sugar, boosts metabolism if healthy.



The Pain Point

When you have high insulin (frequent eating), your cells stop responding to insulin.
Sugar stays high, which over time can develop into diabetes.
Giving your pancreas support can help insulin work better again.

The Action Plan

Your pancreas was under constant demand. As that pressure drops, it can respond again — these additions simply support that shift.

1. Core Lever: Reduce Load on the Pancreas

- Start your meal with protein.
- This becomes critical when your pancreas is already under strain.
- **It shortens how long insulin stays elevated after you eat.**
- Less time under pressure = less damage to the pancreas allowing it to begin recovering function.

2. Maintain adequate Vitamin D3+K2 levels.

- **When it's low, your body needs more insulin for the same effect.**
- That extra demand puts constant pressure on your pancreas.
- Take 10,000 IU Vitamin D3 daily.
- Take 100–200 mcg K2 daily.
- Take with a fat-containing meal, not on an empty stomach.

3. Apple Cider Vinegar


- 1 tbsp in 100–200 ml water, 10–20 minutes before main meals.
- Slows how quickly food leaves your stomach
  → **sugar enters your blood more gradually**
  → insulin spike is lower
- Smaller spike = less stress on your pancreas.

4. Food Support

- **Avoid hidden sugars and industrial seed oils.**
- Maltodextrin & hidden sugars (bars, sauces, 'healthy snacks'); artificial sweeteners (diet drinks, zero sugar products); industrial seed oils (soybean, corn, canola).

Step 2: The Oil Filter (Liver)

The cure for the "Hard Protruding Belly" that sit-ups can't fix.



The Pain Point

If your liver is constantly overloaded with sugar — especially fructose, which is processed primarily in the liver — where excess sugar is converted into fat.

Over time, this fat builds up inside the liver and interferes with how it responds to insulin.

This makes it harder for your body to burn fat — especially around your midsection.



The Action Plan

To restore fat burning, your liver needs to **support liver metabolism, help export stored fat, and restore bile flow:**



Step 1 — The Scrubber

Cruciferous Veggies.
Eat 1–2 cups daily (Broccoli/Kale).
Why: Helps your liver process excess metabolic waste more efficiently inside liver cells, reducing internal stress that slows fat metabolism.



Step 2 — The Dissolver

Choline.
Eat 4 eggs daily (~600 mg choline) to help the liver package fat for export rather than storing it.



Step 3 — The Flow Restorer

TUDCA salt. Take 500 mg (2 capsules) in the morning on an empty stomach to support bile flow and help the liver move stored fat out more efficiently through improved bile flow.

Step 3: The Fuel Injector (Gut)

Why you gain belly fat even if you barely eat.



The Pain Point

This often shows up as: bloating, food sensitivity, brain fog after meals.

When your gut barrier weakens, bacterial toxins enter your bloodstream.

This triggers inflammation that interferes with how your cells respond to insulin.

Over time, this pushes your body toward storing more fat — especially around your organs.

The Action Plan



The Sealer: "Microbiome & Gut repair powder"

- **Why:** Helps repair the gut lining and strengthen the barrier between your gut and your bloodstream.



The Super-Microbe: "L. Reuteri Yogurt." (Preparation guide included)

- Eat 1/2 cup daily.
- **Why:** Restores a key gut microbe many people lack, reduces toxin-producing bacteria, lowers gut leak, improves nutrient absorption, and supports visible skin repair.



The Activator: "Raw Ginger Slice."

- Chew a coin-sized piece before meals.
- **Why:** It triggers instant acid release so food doesn't sit too long in your stomach and ferment. (*Note: Avoid if you have active ulcers or gallstones*).

Step 4: The Gas Pedal (Thyroid)

Why you gain weight even when you starve yourself.



The Pain Point

You feel cold, tired, and stuck — despite eating less and trying harder.
If your **Thyroid is sluggish**, your body enters "**Hibernation Mode**", storing every calorie to survive. You cannot starve your way out of this; you must **fuel the engine.**

The Action Plan

The Fuel: "Thyrolin."

- 2 capsules/day, before meals. For best absorption separate it from caffeine/dairy(calcium)/iron/multi-vitamins/heavy fiber-soy foods
- **Why:** Provides Natural Iodine. Without this, your thyroid cannot create hormones. (Optional: If you don't supplement, use iodized salt in meals to support baseline iodine intake.) (Budget: ~$0.05/day).

The Spark Plug: "Selenium."


- Eat 1 Brazil Nut daily.
- **Why:** Provides 175% of your daily need to switch your thyroid from 'Idle' to 'Burn'. (Note: If you eat the 4 Eggs from Step 2, you already hit your baseline! The nut is extra insurance.)

The Stress Blocker: "Ashwagandha."

- Take 600mg daily.
- **Why:** Clinically shown to lower Cortisol by up to 30%, releasing the 'brake' on your thyroid.

Step 5: The Emergency Brake (Adrenals)

Why stress shuts down fat burning and stores it in your belly.



The Pain Point

This is the fastest system in your body to reset. When you are **stressed**, your body pulls the '**Emergency Brake**' on fat burning. It creates a **cortisol flood** that **locks your metabolism** and **stores fat specifically around the belly** for survival.

The Action Plan



1. The Vagus Hum

Hum loudly for 2 minutes.
Vagus Nerve switches body from Stress to Burn mode in 120 seconds.



2. The Mineral Fix

Food: ½ cup pumpkin seeds + 1 cup spinach = 600mg magnesium.
Pill: Magnesium Glycinate 400–600mg before bed.



3. The Result

20–30% anxiety decrease.
Better fat burning, sleep, and no nighttime leg cramps.




4. The Cortisol Interrupt

2 capsules daily with food.
Serenzo™ reduced stress scores by 53% in 12 weeks — less cortisol released, less fat stored in your belly.

Checkpoint: The System Is Now Unlocked

Phase 1 complete. The metabolic block is now removed.



The Bridge

The system is working again. But what you feed it still controls what happens next.


The Mission

Phase 2: We now shift how your body produces energy — so fat becomes the default fuel again.

Mlavela Wellness

The Switch That Controls Fat Burning

Insulin decides if your body stores fat — or uses it.



Quick Sugar Fuel
(Short Burst Energy)

High Insulin = Fat Locked

The Pain Point

When insulin stays high, your body is locked in storage mode. It pulls sugar out of your blood quickly **and stores it in your cells** causing an energy crash, strong hunger and cravings.

The Solution



- **The Problem: The Lock (Insulin)**
  High insulin (from sugar, carbs, or frequent eating) keeps fat locked away. Your body cannot access stored energy.



- **The Fix: The Keto Switch**
  Lower insulin -> unlock the vault -> your body can use fat for fuel.



- **The Result:** Energy becomes steady for hours because your body switches to using stored fat instead of chasing sugar spikes, Hunger signals calm down as your body uses stored fat for fuel

WHY YOUR BODY RARELY GETS THE CHANCE TO BURN FAT

**Fat burning isn't about eating less —
it's about how long your body stays in storage mode.**

The High-Carb Nightmare You've Lived



Frequent carbs → repeated insulin spikes → fat stays locked

Result: Cravings return quickly, energy crashes, fat stays stored.

The Keto Freedom That Works



Fewer insulin spikes → longer low-insulin windows (3–6+ hours)

Result: Hunger signals calm down, blood sugar stabilizes, **stored fat becomes usable.**

THE HIDDEN PROBLEM: INSULIN NEVER FULLY DROPS

Meal → insulin rises (0–1 hr)
↓
Insulin stays elevated (3–5 hrs)
↓
Next meal arrives → insulin rises again → fat burning stays **OFF**
↓ → body depends on incoming food
No return to baseline → hunger signals repeat

The 3 Core Benefits of Keto

Metabolic Stability

- Hunger signals become less frequent
- Energy no longer spikes and crashes

Visible Body Shift

- Face looks less puffy as water retention drops (7–14 days)
- Collagen damage reduces — skin looks clearer, smoother, less aged

Hormonal Calm


- Fewer cravings and binge cycles
- Cortisol swings reduce
- Appetite feels more predictable

"Not all fasting creates a low-insulin state.
Next: **how to actually unlock a true fat-burning window.**

Mayela Wellness

Step 6: Why Fasting Works (When Diets Fail)

10 Biological reasons why ‘Eating Less’ fails, but ‘Eating Less Often’ cures.



The Pain Point

“The Insulin Trap.” If you eat 6 small meals a day, your insulin never drops. You are locking fat in your cells. Fasting is the only way to lower insulin enough to unlock the 'Vault'.

The Top 5 Benefits

- **Lowers** Insulin
- **Heals** Receptors
- **Visceral** Fat Burn
- **Stable** Hunger
- **Autophagy** Cell cleaning out damaged proteins

Step 7: The Turbocharger (Intermittent Fasting)

How to align your eating with your hormones to burn fat while you sleep.

24-Hour Cycle Wheel



The Pain Point

If you graze all day, **insulin stays elevated**, and the **'Vault' stays locked**. To burn stored belly fat, you need a daily window where **insulin drops to baseline**.

The Action Plan



The Daily Protocol (16:8): "Skip Breakfast."

- Eat 12:00 PM — 8:00 PM.
- **Why:** This avoids the morning cortisol spike. This is the maintenance schedule to keep the 'Vault' open.



The Mechanism (Fat Switch): "Ketosis."

- By hour 12, your liver depletes its sugar and insulin drops to baseline. This forces your body to switch to burning visceral belly fat.



The 'Hard Reset' (36 Hours): "The Insulin Cure."

- Once a month, extend to 36 hours.
- **Why:** This forces a deep Liver Detox. It drains liver fat (the root of diabetes) and triggers max Autophagy—recycling damaged proteins and weak cells (immune system reboot).

The Red Flags:
3 ‘Health Foods’ to Trash While on Keto

Why your engine is clogging up even though you are ‘dieting’.



The Pain Point

You can fix your organs perfectly, but if you keep pouring ‘dirty fuel’ into the tank, the engine will seize up again. These 3 items are **hidden in 90% of ‘Diabetic Friendly’** foods. They keep your blood sugar unstable and prevent you from reversing the condition.

The Action Plan



The Inflamer: “Seed Oils (Soybean, Canola, Corn, Vegetable).”
Why: Highly processed industrial oils that cause massive liver inflammation.
Swap for: Butter, Ghee, Tallow, or Coconut Oil.




The Fake Vitamin: “Cyanocobalamin & Folic Acid.”
Why: These are synthetic cheap versions (often found in multivitamins) that are hard for the liver to process.
Swap for: “Methylated” vitamins or real food (Liver/Eggs).



The Bloater: “Maltitol.” (The #1 sweetener in ‘Keto’ Bars).
Why: It has a higher glycemic index than table sugar. It is the #1 trap for Diabetics because it keeps blood sugar high while labeled ‘Sugar-Free’.

Step 8: The Insulin Buffers

How to use biochemistry to reduce the "Glycemic Impact" of your meals.



The Pain Point

Even healthy food **stimulates insulin.** If you have resistance, your **pancreas over-reacts.** By using "Buffers," you **slow down digestion**, giving your liver enough time to process energy without **locking the "Fat Vault"**.

The Action Plan




The Enzyme Inhibitor: "Acetic Acid (ACV)."

- **Protocol:** Drink 1 tbsp Apple Cider Vinegar in water (with a straw) 15 mins before eating.
- **The Science:** Acetic acid inhibits alpha-amylase (the enzyme that digests starch), which can improve insulin sensitivity by 19–34% during a meal.



The Absorption Brake: "Fiber-First Rule."

- **Rule:** Eat veggies before protein/fats.
- **The Science:** Soluble fiber creates a viscous gel that slows gastric emptying. This spreads the glucese uptake over a longer period, preventing the sudden spike.



The Metabolic Switch: "Berberine." (Natural Support)

- **Description:** A powerful compound that activates AMPK – the enzyme that tells your cells to stop storing fat and start burning energy.
- **Note:** Functions similarly to Metformin; consult your doctor if on medication.

Step 9: The Calorie Myth (Weight Loss)

How to break a stubborn **Weight Loss Plateau** and force your body to **Burn Fat** again.



The Pain Point: "The Plateau Trap"

You hit a wall because your body is smart. When you cut calories and train hard for too long, your body senses a famine. It slows down your metabolism to stop burning fat. To lose weight again, you must re-ignite the heat.

The Action Plan

1. **The Movement Fix: "Stop Chronic Cardio."**
   - Running spikes cortisol, which signals 'Danger' to a stressed metabolism. Swap for:
     - **Walking (Daily):** Lowers cortisol.
     - **Slow Lifting (2x/Week to begin):** Raises resting metabolism.
     - **HIIT (1x/Week):** Triggers HGH (Only if you have energy).



2. **The Organ Rehab: "Feast & Fast (Days 1–14)."**
   - Stop counting calories. Eat the "Green Light Foods" (Page 15) + "Organ Foods" (Pages 7–11) to full satiety within your 16:8 Window.
   - **Why:** You must fuel your "metabolism" organs to reset&convince them the 'famine' is over.



3. **The Calibration (Day 15+): "Find Your Number."**
   - Once your energy returns, calculate your TDEE (Maintenance Calories) online. Eat at that level for 2-6 weeks to stabilize your metabolism. Then, create a small deficit (200-300 cal) to burn fat safely without crashing😄.



Mlavela Wellness

Checkpoint: The Metabolic Switch is ON

Phase 2 Complete. You have the tools to reverse Diabetes and break any Plateau.

- ☑ **Insulin Resistance:** Curbed with ACV & Fiber Protocols.
- ☑ **Diabetes Reversal:** Sugar removed; 'Green Light' fuel installed.
- ☑ **Weight Plateau:** Broken with 'Metabolic Rehab' (Satiety + Rest).
- ☑ **Fat Fuel:** Unlocked via 16:8 Fasting & Ketosis.
- ☑ **The Engine:** Thyroid & Adrenals signaled for 'Safety.'

The Bridge. You have the Mechanics (Organs) and the Strategy (Food/Timing). But there is one danger left: **The Electrolyte Crash.**

THE MISSION: Now entering PHASE 3: THE SAFETY NET. As your insulin drops, your body will dump water. We must prevent the 'Keto Flu' (Headaches/Fatigue) so you never quit.

Step 10: The 'Keto Flu' Antidote (Electrolytes)

Why you feel dizzy on Day 4—and how to fix it in 20 minutes.

The Pain Point

The Great Flush.

When insulin drops, your kidneys stop retaining sodium — and begin flushing it out along with water and other minerals.

If you feel a headache or fatigue, you are NOT sick. You are just uncharged.

You need minerals, not sugar.

This typically starts around Day 2–4, as sodium loss can exceed 2,000–3,000 mg/day, raising your daily need to ~3,000–5,000 mg.



Sodium (The Spark) **Potassium** (The Stabilizer) **Magnesium** (The Recovery)

The Action Plan



1. The Immediate Fix: Sodium (Sea Salt)

CRITICAL: When insulin drops, your kidneys flush sodium → lowering blood volume and blood pressure.

Result: dizziness, fatigue, headaches.

Protocol: Add 1 tsp sea salt to water daily (split if needed).

Why: Restores fluid balance within ~20–30 minutes by helping your body retain water and stabilize blood volume and blood pressure.



2. The Stability Layer: Potassium

Potassium maintains electrical signaling between nerves and muscles.

Target: ~3,000–4,000 mg/day (leafy greens, avocados, vegetables)

Reality: Most people fall short — especially during keto — which disrupts how nerves fire and muscles contract.

Why: As sodium drops, potassium imbalance disrupts nerve signaling and muscle function → causing fatigue, weakness, and low energy.



3. The Recovery Layer: Magnesium

As insulin drops, your kidneys excrete more magnesium — lowering cellular levels.

This disrupts nerve signaling and muscle relaxation, making nerves more excitable and muscles stay contracted longer — increasing stress signals.


Result: cramps, poor sleep, "wired but tired" feeling.

Protocol: ~600 mg daily (preferably at night; adjust if digestion is sensitive).

Multi-form magnesium supports multiple systems (brain, muscles, energy production), making it more effective than single-form supplements.

The 14-Day Metabolic Reset

The precise schedule to repair your organs and unlock fat burning.



The Protocol

Phase 1: Organ Rehab (Days 1–3).

- **Food:** Eat foods for metabolism organs(Pages 7–11) to full satiety. No calorie counting.
- **Stress:** Perform the "Vagus Hum" (Page 11) before meals to lower cortisol gradually.
- **Fast:** Start gentle 12:12 (Eat 8am–8pm).

Phase 2: The Insulin Shift (Days 4–7).

- **Fast:** Push to 16:8 fasting (Skip Breakfast. Eat 12pm–8pm/Your own timing).
- **Safety:** Start Electrolytes daily (Page 21) to prevent the "Keto Flu".
- **Food:** Continue eating to satiety during your cating window.

Phase 3: The Fat Burn (Days 8–14).

- **Fast:** Strict 16:8. Your insulin is now at baseline.
- **Movement:** Add "Slow Lifting" or "Walking" (Page 19) to softly accelerate.
- **Action:** Do not change diet yet. Keep signaling "Safety" to the metabolism organs.

Day 15+: Your metabolism is rapidly repairing. Now calculate your **TDEE** and eat your maintenance calories for 2-6 weeks. By now, metabolism is repaired, keep eating suggested foods&create a small deficit of 200-300cal to lose fat for good👍

Mayela Wellness

Troubleshooting: The Metabolic Clinic

Stalled or feeling off? Exact fixes for the most common issues.



Don't panic. A bump just means you need one small tweak. These proven fixes help most people get back on track fast.

Action Plan

Constipation?
Fix: *Increase leafy greens gradually (3–5 cups/day), drink 2–3 L water, consider magnesium bisglycinate 400mg (minimum) at night if needed.*

Weight stall?
Fix: *Adjust macros: temporarily reduce processed carbs, track meals & activity. Short-term dairy or nut reduction can help; extreme restriction usually unnecessary.*

Keto rash/itch?
Fix: *Raise carbs slightly (e.g. 30–50 g berries/day) for a few days. Use calamine lotion for relief.*

Keto flu (fatigue, headache)?
Fix: *Ensure adequate electrolytes: sodium 2-3 g/day, potassium 2,000–3,000+ mg/day, magnesium 400–800 mg/day. Rest and hydrate.*

Cravings or bad breath?
Fix: *Drink more water, add 1 tbspp MCT oil if tolerated, sugar-free mints can help. Cravings often pass in a few days.*

Can't sleep or low energy?
Fix: *No caffeine after noon, magnesium bisglycinate 400-800 mg, screen-free wind-down routine, and consistent sleep schedule.*

Before you continue

At this point, you might be thinking:


- ‘This makes sense… but I won’t be able to stick to it’
- ‘Cravings will be too strong’
- ‘I’ll end up going back anyway’

This reaction is not a lack of discipline. **It is a biological response.**

After repeated sugar and carb spikes, your brain starts expecting fast energy.
When it doesn’t get it → cravings intensify.

This is your brain pushing you to get quick energy again.

This phase is temporary. As insulins stabilize, these signals weaken.
But this is where people usually give up — before their body adapts.



Transition bridge

You don’t need to give up the foods you enjoy.

You need versions that taste just as good — without triggering the same insulin spikes.

A Way to Stay Consistent Without Giving Things Up

Familiar keto-based meals designed to reduce cravings without giving up the foods you enjoy.

Make this something you can actually stick to — and finish