

The 5 Potty Training Mistakes That Keep Children with Autism Stuck

(And the Simple Fix Most Parents Miss)

If potty training hasn't worked yet, it does not mean you did anything wrong.

Inside this guide you'll learn:

- ✓ The 5 most common potty training mistakes
- ✓ Why these mistakes keep children stuck
- ✓ The first step to fix each one



THE 5 MISTAKES

Mistake #1- Waiting for readiness

Many children with autism do not show typical readiness signs.

✓ What works better:

Use a structured teaching plan

Mistake #2- Long potty sits

Long potty sits can create frustration and resistance.

✓ What works better:

Use short, scheduled potty sits paired with positive reinforcement.

Mistake #3- No clear reward system

Without strong motivation, many children are not interested in using the toilet.

✓ What works better:

Use high-value rewards immediately after success.

Mistake #4- Responding emotionally to accidents

Strong reactions to accidents can increase stress

✓ What works better:

Respond calmly and consistently, and treat accidents as learning opportunities.

Mistake #5- Changing strategies too quickly

Switching methods frequently can make it harder for children to learn the routine.

✓ What works better:


Follow one structured approach consistently.

Ready for a Step-by-Step Potty Training Plan?

✦ If you want a clear system that walks you through exactly what to do, we created a parent-friendly potty training course designed specifically for children with autism. ✦

- ✓ Choose the right training method
- ✓ Set up your environment for success
- ✓ Know exactly what to do during accidents

- ✓ Create a reward system that works
- ✓ Handle potty refusal



[Learn More About the Course →](#)