Understand My Inner Life

# The Anger Compass

*A psychoeducational worksheet from Understand My Inner Life — for when the heat rises faster than you can think, and you want to know what it's actually pointing at.*

Free, yours to keep — print it or fill it in digitally. A complete, self-contained tool: the science, a worked example, the decode worksheet, and what to do in the moment.

BEFORE YOU BEGIN

# A couple of things to know first

This file is for you. The notice below sets out your licence to use it, and there's an important word on what this is — and what it isn't.

PLEASE DO NOT COPY OR SHARE THIS FILE

**This workbook is the original, copyrighted work of Understand My Inner Life.** It is licensed to *you*, for your own personal use only. Please do **not** copy, screenshot, scan, forward, upload, resell, republish, or share any part of it — in print or online, in full or in part — and do not pass this file to anyone else. If it helped you and you'd like to share it, send people the *link* to get their own copy, never the file itself. Unauthorised copying or distribution is a breach of copyright. **© 2026 Understand My Inner Life. All rights reserved.** Thank you for respecting the work that went into this — it's what allows it to keep being made.

**This is psychoeducation and self-help — not therapy, diagnosis, or crisis care.** If you are struggling significantly or thinking about harming yourself, please reach out now:

Emergency: 113 (Norway) · 112 (EU) · your local number · Norway: Mental Helse 116 123 · UK/IE: Samaritans 116 123 · US: 988 · AU: 13 11 14 · findahelpline.com

## How to use this file

Print it, or fill it in on any device — it's yours to keep and return to as often as you need. There's no right pace, and no need to finish in one sitting. Work through it in order, or open straight to the part you need today. Take what helps, leave what doesn't, and be as patient with yourself here as you would be with someone you love.

START HERE

# Anger isn't the problem. It's a signal — and you can learn to read it.

Almost everything you've been taught about anger is about *controlling* it — as if it were a fault to be managed. But anger is not a malfunction. It is one of the oldest, most precise instruments your nervous system owns: a detector that fires when a line has been crossed, a need has gone unmet, or something you care about is under threat. The heat is real. The trouble is almost never the feeling — it's what we do in the moments right after it arrives, and the soft feeling it's often covering.

This worksheet won't teach you to stop being angry — a person who felt no anger would be walked over by the world. It teaches you to **read the compass**: to move from a hot, blind surge to the specific thing underneath it, so the thinking part of your brain comes back online and you can choose what to do, instead of being driven.

## How to use this

Read the two science pages once — understanding *why* anger does what it does takes a surprising amount of its grip away. Then keep the worksheet somewhere you can reach it. The next few times the heat rises, work the steps. You're not trying to be calm or "good"; you're training a new reflex: *notice, name, read*, instead of *flare, strike, or swallow*.

## Who it's for

The people who either run hot — snapping, then drowning in shame an hour later — or run cold: swallowing it so completely that it leaks out as resentment, a tight jaw, withdrawal, or a low flat heaviness that never quite lifts. Both are the same unread signal. If that's you, nothing here means you are aggressive or broken. It means your compass is working, and you were never taught to read it.

A NOTE BEFORE YOU BEGIN

# Why this exists

*Why I made this — and who it's for.*

For eight years I have worked in mental health, most of them in acute psychiatry — the ward people come to on the hardest nights of their lives. I started young; I was nineteen when I began, the youngest person hired onto my unit. I say that so you know this did not come from a textbook — it came from the room, from years of sitting beside people while they found their way through.

And I kept seeing the same thing. People were seen by the system, given a diagnosis, and sent home without the tools to actually live with it. The waitlist that never moved. The therapy that didn't quite land. The lonely sense that something is wrong, and no words for what. I have stood in that gap through years of listening to people in mental health services. I have also stood in it myself.

A word on who I am: I am in clinical psychology training, not a licensed psychologist, and I work on the floor, in the room. What you are holding is psychoeducation — not treatment, and not a substitute for it.

So this is not here to sell you a transformation or a quick fix. It is here to give you language for what you feel, and a way to meet it that doesn't ask you to have it all together first.

I have never wanted to stand above the people I meet. There is far less distance between the person who asks for help and the person who offers it than we like to pretend — a different year, a different loss, and any of us could be the one on the other side. The thing I believe most, I learned from Irvin Yalom: that the real change happens in the encounter itself, two people being honest in the same room. A workbook can't be that room. But it can be honest with you, and it can put something real in your hands to do.

That is what this is. Take what helps. Leave what doesn't. And be as patient with yourself as you would be with someone you love.

*"You don't need to be ready. You don't need to have it together. You just need to be willing to try."*

*— from the person who built Understand My Inner Life*

THE SCIENCE · 1

# Why anger exists at all

*You can't work with a signal you've been taught to be ashamed of. So first, understand it.*

Anger feels primitive and embarrassing — something to apologise for. It is in fact a finely selected survival tool, doing exactly what evolution built it to do. Three ideas explain almost everything about how it behaves.

**Anger is a boundary & fairness detector** — Across cultures, anger fires in response to the same thing: a perceived *wrong* — a line crossed, a rule broken, a need blocked, someone treated unfairly (often you). Its evolved job is to mobilise you to defend a boundary and correct injustice. The feeling is a verdict your brain has already reached: *something here is not okay*.

**Good reasons for bad feelings** — Evolutionary psychiatry (Randolph Nesse) reframes anger as a defence, not a defect — like pain. It is uncomfortable on purpose, because discomfort makes you act. The energy, the focus, the readiness: that's the body preparing to stand up for something. The signal is usually right that *something matters here*. It's the story about who's to blame, and what to do, that's often wrong.

**Anger is not aggression** — This is the distinction that changes everything. **Anger** is an emotion — a wave of energy and information. **Aggression** is a behaviour — a choice that happens after. Between them is a gap, and in that gap lives every option you have. You are responsible for the aggression. You are not in trouble for the anger. Confusing the two is why so many people fear their own feeling.

**Why this changes things:** if anger is a detector, the question stops being "what's wrong with me for feeling this?" and becomes "what is this pointing at — which line, which need, which value?" That question is answerable. Reading the compass is the whole skill.

*Drawn from Nesse, Good Reasons for Bad Feelings (2019); Averill (1983) on anger as a response to perceived wrongdoing; and Beck, Prisoners of Hate (1999) on the cognitive appraisal at the root of anger.*

THE SCIENCE · 2

# What's happening — and what's underneath

*Why the surge is so fast, why it needs time to clear, and the softer feeling it's often guarding.*

When your brain appraises a wrong, the amygdala triggers the same surge as fear — adrenaline, heat, narrowed focus, an urge to act *now*. This is the "amygdala hijack": the thinking brain goes partly offline, which is why we say things in anger we'd never choose calmly.

## Two facts that hand you back some control

### The surge needs real time to clear

Unlike a fear spike, the adrenaline of anger lingers. Once you're physiologically "flooded," it takes at least twenty minutes of genuine de-escalation — and only if you don't keep replaying it — for the body to return to baseline (Gottman's couples research). Trying to resolve anything inside that window usually pours fuel on it. A *stated* pause — not storming off — is not avoidance; it's physiology.

### Anger is often the bodyguard, not the king

Anger feels powerful, and powerful feels safer than vulnerable. So the mind frequently reaches for anger to cover a softer, more exposing feeling underneath — hurt, fear, shame, helplessness, grief. The anger is real, but it's often standing in *front* of the feeling that actually needs tending. Ask "what would I feel if I weren't angry?" and the real wound usually answers.

## The three doors anger walks through




*only the third door resolves what the anger was pointing at*

The first two doors bring quick relief and a slow cost; only the third — **assertion**, speaking the boundary cleanly — resolves what the anger was pointing at. Most of this worksheet is learning to find it.

*Mechanisms: LeDoux on amygdala threat circuitry; Goleman on the 'amygdala hijack'; Gottman on flooding and the need for a genuine break of at least twenty minutes (Gottman & Levenson, 1992; Gottman & Silver, 1999); the suppress / express / assert distinction from assertiveness and CBT anger research (Novaco; DiGiuseppe & Tafrate).*

WHY THIS IS SO HARD

# Why anger is so hard to change

*If you keep swallowing it or firing it off despite knowing better — here's why, and why it isn't your fault.*

You can understand everything on the last two pages and still snap, or still go silent and seethe. That gap isn't a sign you're failing. It's a sign of how anger is built.

**It's faster than thought** — The surge fires from the amygdala milliseconds before the thinking brain comes online. By the time the wise part of you arrives, the reaction has often already happened. You're not slow — the circuit is just fast.

**It's a deep groove** — Whatever you do with anger — swallow it, or strike — you've likely done thousands of times. Repetition carves a path that runs almost automatically. Years of practice don't undo in a week.

**The soft feeling underneath is scary** — Anger feels powerful, and powerful feels safer than the hurt, fear, or shame beneath it. So the mind reaches for the bodyguard and avoids the wound — which keeps the real thing unmet.

**So if knowing hasn't been enough:** if you 'know' you shouldn't snap (or shouldn't swallow it) and do anyway, that's not a character flaw — it's a fast, old, well-worn circuit doing exactly what it was built to do.

**And here's the hope — this is the part that matters:** a circuit that was *learned* can be re-learned. Every time you catch the heat and choose the third door — even clumsily — you carve a new groove beside the old one. Do it enough and the new path becomes the default. The reps on the next pages are how that happens.

SEE IT DONE

# A worked example

*Before you fill it in, watch the decode work on a realistic, everyday flare.*

Daniel, 38 (a composite, not a real person), gets a message from his brother at 9 p.m.: “Can't do Saturday after all.” Third time this month. Heat floods his chest; his thumb is already typing something cutting. Here's the same decode you're about to learn, walked through — in the gap before he hit send.

**1 · THE BODY**

Heat up the neck, jaw clamped, a forward-leaning urge to *fire back now*. *Noticing it as a surge in the body — not a command to obey — is already step one, and it buys the gap.*

**2 · THE TRIGGER**

The exact spark: a one-line cancellation, the third this month. Specific and small — which is the first clue the size of the heat is about more than this text.

**3 · THE LINE THAT GOT CROSSED**

Said plainly: “I keep showing up for him and he doesn't show up for me — it's not fair, and it means I don't matter to him.” There's the rule (fairness, mutual effort) and the verdict (blame). The compass is pointing somewhere real.

**4 · WHAT'S UNDERNEATH**

“What would I feel if I weren't angry?” — hurt. The quiet fear that he doesn't prioritise me. The anger is the bodyguard; the hurt is what actually needs tending. That's why a cutting text would miss the point entirely.

**5 · WHAT IT NEEDS**

Not revenge — to be valued, and to say so. He waits for the surge to pass, then sends the clean version: “Three cancellations in a month lands hard — I really look forward to our Saturdays. Can we find one that actually sticks?” The boundary, spoken, with the hurt honoured instead of weaponised.

Nothing about the cancellation changed. What changed is that a blind flare became a *named line, a named hurt, and a clean request* — the third door. That is a thing a person can act on without wreckage.

THE WORKSHEET · 1

# Read the compass

*Next time the heat rises, work down the steps. Don't think hard — just notice and write.*

**1 · The body — where do I feel it, and what is it doing? (jaw, chest, hands, heat, the urge to strike or flee)**

**2 · The trigger — what exactly happened in the moment just before the heat rose? (the specific spark, said plainly)**

**3 · The line that got crossed — what rule, boundary, need or value of mine was violated? Anger almost always points at one.**

**4 · The size of the heat — is the intensity matched to *this* event, or is an older, similar wound being touched too?**

**When the heat outsizes the trigger,** the compass is usually pointing at more than the moment — an old pattern of the same line being crossed. That's not irrational; it's accumulated. Naming it is what stops you from spending a month's worth of anger on a single text.

THE WORKSHEET · 2

# Underneath, and the third door

*The two moves that turn a flare into something that actually resolves it.*

**5 · What's underneath — "if I weren't angry right now, what would I feel?" (hurt, fear, shame, helplessness, grief, disrespect)**

## Now notice the door  gently, which one do I usually reach for?

- ☐ **Swallow it** — say nothing, let it become resentment (the line stays crossed)
- ☐ **Strike** — fire back, get relief now, pay in damage and shame later
- ☐ **Speak it clean** — state the boundary, honour the hurt (the only door that resolves it)

*No wrong answer here, and no shame in it — most of us reach for the first two doors because no one ever showed us the third. Noticing which, kindly, is what makes the third possible.*

## Build the clean sentence (the third door)

**Write it in your own words — take the whole space, there's no rush. Four parts:** "When ___ happened, I felt ___, because what I need or value is ___, and going forward I'd like ___."

**If there's no one to say it to — or the wrong can't be undone — what does the anger need instead? (to be felt and named, to grieve what won't change, to act on the value it revealed)**

*"Anger is a messenger about what matters. Read the message, and you rarely need to shout it."*

IN THE MOMENT

# Bring the surge down

*When you're too flooded to think, speak to the body first — then return. ~5–20 minutes.*

You cannot find the third door while the thinking brain is offline. So you don't start with the conversation. You start with the body, buy the gap, and let the mind come back online behind it.

1. **Name it, silently.** “This is anger.” Labelling an emotion measurably lowers the amygdala's grip (Lieberman et al., 2007) — “name it to tame it,” as Dan Siegel puts it. One word reopens the gap between feeling and action.
2. **Lengthen the exhale, unclench.** In for 4, out slowly for 6–8; drop the shoulders, open the jaw and hands. *Why:* a long exhale engages the parasympathetic brake; the body reads an unclenched posture as “no fight needed.”
3. **Take a stated pause — not a storm-off.** “I'm too heated to do this well — give me twenty minutes and I'll come back.” *Why:* the adrenaline needs time to clear — often twenty minutes or more, and only if you don't keep replaying it. A pause you *name and return from* is the opposite of avoidance — it's what makes the clean version possible.
4. **Discharge the energy, then decode.** Walk hard, push against a wall, move. *Why:* anger is mobilised energy; give the body a lawful outlet, then come back to the worksheet — line crossed, what's underneath, what it needs.

**After trying it — what shifted, and what did the anger turn out to be pointing at?**

---

---


**If you tend to swallow it instead:** your work is the opposite — not cooling down, but letting the signal count. Anger you never let yourself feel doesn't disappear; it turns inward as resentment and a flat, heavy mood. Naming it on paper is how you let it speak without it leaking out sideways.

PRACTISE IT · 7 TIMES

# Test it in real life

*Insight is cheap; evidence is what changes you. So run a small experiment.*

Reading about anger changes nothing until you meet a real one differently. Pick one move from this worksheet and test it the next several times the heat rises — not perfectly, just on purpose. This is a **behavioural experiment** — one of the core methods CBT uses to change a belief: you don't argue with the fear, you *test* it in real life and let the evidence update it.




*each round, the belief updates — then you run it again*

## Before · Set it up

**The belief I'm putting to the test. What do you predict will happen if you *speak it clean* instead of swallowing or striking? (the fear — e.g. 'they'll leave,' 'it'll explode')**

How strongly I believe that *right now*: _____ / 100

**The move I'll make. The specific, doable thing I'll do to test it:**

*e.g. name it silently · take the stated pause · ask 'what line got crossed?' · say one clean sentence instead of swallowing or striking*

When & how often: **7 times over the next two weeks** — aim for one a day.

**What I expect will happen. Exactly what do I predict when I do it?**

My best guess at how I'll feel afterwards (0 = awful, 10 = fine): _____ / 10

DURING & AFTER · THE DAILY LOG

# Run it — and watch the evidence build

*One honest line a day. The belief score falling, day by day, is your change made visible.*

**Each day, three small steps: (1)** do the move — even a tiny version counts; **(2)** write one honest line on what *actually* happened (not what you feared — what real life did); **(3)** re-rate how strongly you still believe the original fear, 0–100. After the first few, jot what actually happened vs what you feared:

You don't need a perfect run — miss a day, just pick it up the next. Even four honest entries will show you something real. Watch the last number, not your mood: that score drifting down, day by day, *is* your change, in your own handwriting. Keep going — you're doing the part most people only read about.

| Day | What I did — and what *actually* happened | Believe the fear now /100 |
|---|---|---|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | | |

## When the 7 are done — the verdict

**What actually happened, across the reps. Across the reps — how often did the feared outcome actually happen? And which door worked best for you in practice?**

**What the evidence actually says — my updated belief, in my own words:**

Believe the *original* fear now: _____ / 100 — compare it to your starting score. That gap is the proof, in your own handwriting.

However far it moved — even a little — you just tested a fear instead of obeying it. That is the whole skill, and it compounds every time you use it. Be proud of this page, and keep it.

WHAT TO EXPECT

# Common traps — and the truth

*The mistakes almost everyone makes with anger, and what's actually true instead.*

**“Anger is a bad emotion.”** — There are no bad emotions, only hard ones and unskilled actions. Anger is a boundary detector. Shaming yourself for feeling it just adds a second problem on top of the first — and drives it underground, where it does the most damage.

**“If I let myself feel it, I'll explode.”** — The opposite is truer. It's *unread, swallowed* anger that builds pressure and bursts. Anger felt, named, and spoken cleanly is how it discharges *without* the explosion.

**“Venting it out gets it out of my system.”** — Decades of research say no: venting (ranting, hitting a pillow) tends to keep anger and aggression *high*, not drain them (Bushman, 2002). What helps is lowering the arousal and addressing the cause — not amplifying the feeling.

**“My anger means they're guilty.”** — Anger reliably tells you a *line you hold* was crossed. It is far less reliable about *who is to blame* and *what to do*. The signal is trustworthy; the verdict and the sentence need the thinking brain back online first.

**“Calm people just don't feel this.”** — Calm people very often feel it just as hot — they've simply learned the gap between the surge and the action. That gap is a skill, not a personality. It can be trained, rep by rep.

**The one to remember:** the goal is not to stop feeling angry. It's to let anger inform you without letting it command you — to read what it's protecting, and choose the door. That is not a smaller goal. It's the whole of being free with it.

KEEP THIS

# The pocket version

*Photograph this page. It's the whole worksheet in the space of one long exhale.*

## When the heat rises, ask in order:

1. **Body** — where's the heat? (it's a surge, not a command)
2. **Trigger** — what's the exact spark?
3. **Line** — what boundary, need or value got crossed?
4. **Underneath** — if I weren't angry, what would I feel? (hurt, fear, shame)
5. **Door** — swallow / strike / **speak it clean**. Choose the third.

## In the moment, for the body:

**Name it** (“this is anger”) · **exhale long**, unclench · **stated pause** (20+ min, then return) · **move**, then decode.

## The clean sentence:

“When _____ happened, I felt _____, because what I need is _____. Going forward I'd like _____.”

*“Anger isn't the enemy. It's the part of me*
*that still knows what I'm worth, and what's fair.”*

What you're feeling isn't a flaw in you. It's a compass — and you are learning, rep by rep, to read where it points instead of being dragged by it.

REFERENCES & FURTHER READING

# Where this comes from

*Real, published work — so you can read further, and check it for yourself.*

The ideas here draw on published research and established psychological theory; the key sources are below, with enough detail to find them. Some framings (the images and metaphors) are my own, built from that work; a few practical heuristics (noted as such) come from books or everyday practice rather than single studies.


**Nesse, R. M.** (2019). *Good Reasons for Bad Feelings: Insights from the Frontier of Evolutionary Psychiatry*. Dutton.

**Averill, J. R.** (1983). Studies on anger and aggression: Implications for theories of emotion. *American Psychologist, 38*(11), 1145–1160. https://doi.org/10.1037/0003-066X.38.11.1145

**Beck, A. T.** (1999). *Prisoners of Hate: The Cognitive Basis of Anger, Hostility, and Violence*. HarperCollins.

**Novaco, R. W.** (1975). *Anger Control: The Development and Evaluation of an Experimental Treatment*. Lexington Books.

**DiGiuseppe, R., & Tafrate, R. C.** (2007). *Understanding Anger Disorders*. Oxford University Press.

**Bushman, B. J.** (2002). Does venting anger feed or extinguish the flame? Catharsis, rumination, distraction, anger, and aggressive responding. *Personality and Social Psychology Bulletin, 28*(6), 724–731. https://doi.org/10.1177/0146167202289002

**Gottman, J. M., & Levenson, R. W.** (1992). Marital processes predictive of later dissolution: Behavior, physiology, and health. *Journal of Personality and Social Psychology, 63*(2), 221–233. https://doi.org/10.1037/0022-3514.63.2.221

**Gottman, J. M., & Silver, N.** (1999). *The Seven Principles for Making Marriage Work*. Crown. — on "flooding" and taking a real break before continuing.

**Lieberman, M. D., Eisenberger, N. I., Crockett, M. J., Tom, S. M., Pfeifer, J. H., & Way, B. M.** (2007). Putting feelings into words: Affect labeling disrupts amygdala activity in response to affective stimuli. *Psychological Science, 18*(5), 421–428. https://doi.org/10.1111/j.1467-9280.2007.01916.x

**Goleman, D.** (1995). *Emotional intelligence*. Bantam Books. — the "amygdala hijack."

**LeDoux, J. E.** (1996). *The emotional brain: The mysterious underpinnings of emotional life*. Simon & Schuster.

**Siegel, D. J., & Bryson, T. P.** (2011). *The whole-brain child: 12 revolutionary strategies to nurture your child's developing mind*. Delacorte Press. — "name it to tame it."

**Bennett-Levy, J., Butler, G., Fennell, M., Hackmann, A., Mueller, M., & Westbrook, D.** (Eds.). (2004). *Oxford guide to behavioural experiments in cognitive therapy*. Oxford University Press. https://doi.org/10.1093/med:psych/9780198529163.001.0001 — the behavioural-experiment method.


**How to go deeper:** To find any of these: copy the *title* (in quotation marks) into Google Scholar (**scholar.google.com**) — journal articles often show a free PDF link on the right, and books are available from any library or bookshop. For the frameworks used here: self-compassion (**self-compassion.org**, Kristin Neff), Acceptance & Commitment Therapy (**contextualscience.org**), Metacognitive Therapy (Adrian Wells), and CBT (the **Beck Institute**, beckinstitute.org).

✶

# This is the first thread.

One worksheet won't untangle a lifetime's relationship with anger — but learning to read it, instead of fearing or swallowing it, changes everything that comes after. If this helped, the full *Understand My Inner Life* Emotion Regulation course is where you learn to do this with every emotion: why each one shows up, what it needs, and exactly what to do in the moment — step by step, with the same care and depth — skills you can keep for life.

> *"The curious paradox is that when I accept myself just as I am, then I can change."*
>
> CARL ROGERS

---

Understand My Inner Life · Built on 8+ years of frontline work in mental health services.
This is an educational resource, not a substitute for therapy. In crisis: Mental Helse 116 123 · findahelpline.com
© 2026 Understand My Inner Life · All rights reserved.

CONTINUE YOUR WORK

# Where to go from here

*More tools, and the deeper work — for whenever you're ready.*

If this helped, here's where it continues. The free tools are yours to keep; the deeper programs are where this work goes much further, with the same care and depth.

## Go deeper

**The Emotion Regulation Course** — the full method, step by step

**Perfectionism & Burnout** — for the quietly exhausted

**The Secrets of the Brain** — how your mind actually works

**The Limerence Workbook** — when a person becomes the thing you can't put down

**The Saturday Morning Protocol** — a weekly 90-minute ritual

**The Relapse Prevention Toolkit** — keep the gains you've made

**The Accountability System** — close the gap between knowing and doing

© 2026 Understand My Inner Life. All rights reserved. · Licensed for your personal use only — please see the full copyright notice at the front of this file.